Unit	orm insp	ection Cn	eckiist - F	ioardii			lutter -	Fuii insp	ection v	ersion	
	Date:				Perso	n Completing This Form:					
	Address:				Town:						
RES	IDENT:	Inspector mus	t be able to viev	v, reach, ar	nd test all it	ems on inspec	tion checklist				
INSP	ECTOR: 🛌	•	o establish a bas			•			ough to resolu	ıtion	
	20.01		dful of the distin					c progress till	ough to resolu	20011.	
			comments and								
•			ch room using b				r Image Ratin	g Scale.			
HARM REDUCTION/PRIMARY INSPECTION TARGETS (not included in sections 1 - 8 below)				STEP 1 - ASSESS			STEP 2 - TRACK				
				D	F-:I	Unknown or N/A	Progress Tracking				
				Pass	Fail	N/A	Not a goal	Progress	Tracking		
	Des	cription		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met	
		-	full 00	(**)	()	(**)					
	neans of exit - eg from door frame										
	Minimum of 36", pathways through		bstructed and								
	ectors, CO detect	•	ads - (all that								
	be unobstructed										
clearance of	f 18"/91cm										
	ors - closet, cabir										
be able to o latch if appl	pen & close doo	rs fully & freely,	& be able to								
іассії ії аррі	icable.					Unknown or					
1. Living F	Room			Pass	Fail	N/A		Progress Tracking			
Code							Not a goal				
(optional)		Description		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met	
	1.1 Electrical ou	tlots appossible									
	1.1 Electrical ou	tiets accessible									
	1.2 Free of elec										
	1.3 Windows m										
	emergency exit	nobstructed win	dow for								
	<b>1.4</b> Exposed flo										
			e) - Providing a C								
(cir	cle one)	1	2	3	4	5 Unknown or	6	7	8	9	
2. Kitcher	. Kitchen			Pass	Fail	N/A		Progress	Tracking		
Code					_		Not a goal				
(optional)		Description		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met	
	2.1 Electrical ou	ıtlets accessible									
	2.2 Free of elec	trical hazards									
	2.3 Windows m		e with a								
		nobstructed win	dow for								
	emergency exit										
	2.4 Exposed flo	oring must be fre	ee of debris								
2.5 Stove, range w/ oven - interior, exterior, &											
	top must be clea	an & free of debr	is not overfilled								
	no expired or ro	-	, not overnilea,								
	2.7 Sink must b										
	& care  2.8 Kitchen area	a must have a sla	ar & class								
		a must have a cie for food prepara									
	2.9 All pilot ligh										
Clutter Ima	ge Ratina (See	p. 4 for reference	e) - Providing a C	lutter Imaa	e Ratina ead	h visit will help	reflect proare	ss on content lo	oad.		
	cle one)	1	2	3	4	5	6	7	8	q	

				1	D 4	CCECC		CTEDA	TD A CI	
				SIE	P 1 - A			SIEP Z	- TRACK	
3. Bathroom			Dere	F . **	Unknown or		D	. T al.: · ·		
	om			Pass	Fail	N/A		Progress	Tracking	
Code							Not a goal			
(optional)		Description		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met
	3.1 Electrical ou	tlets accessible								
	3.2 Free of elect	trical hazards								
		ust be accessible w	vith a							
		nobstructed windo	-							
	emergency exit	nobstructed windo	744 101							
		oring must be free	of dobris							
3.4 Exposed flooring must be free of debris										
3.5 Sink, toilet, & shower must be accessible, functional & show routine use & care										
Clutter Ima		p. 4 for reference)		lutter Imaa	e Ratina ea	ch visit will held	reflect progre	ss on content le	oad.	
	rcle one)	1	2	3	4	5	6	7	8	9
(CII	reie one,	1	2	3	-	Unknown or	0	,	8	9
4. Prima	ry Bedroom			Pass	Fail	N/A		Progress	Tracking	
Code						,	Not a goal	1		
(optional)		Description		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met
(ορειοπαι)		Sescription		(^)	(^)	(//)	.o. today	.10 . 10g1633		Cour Wict
	4.1 Electrical ou	tlets accessible								
					1					
	4.2 Free of elect									
		ust be accessible w								
		nobstructed windo	ow for							
	emergency exit									
	4.4 Exposed floo	oring must be free	of dehris							
Clutter Ima		p. 4 for reference)		luttor Imaa	o Batina oa	sh visit will halr	rofloct progra	es on sontont l	o a d	
	rcle one)				1	5				•
(CII	rcie onej	1	2	3	4	Unknown or	6	7	8	9
5 All Sec	condary Room	s (living spaces	& halls)	Pass	Fail	N/A		Drogress	Tracking	
Code		3 (IIVIII SPACES	G Halls)	1 033	Tan	1477	Not a goal	Trogress	I	
Couc							NOL a goal			
(antional)		Description		/v\	/V\	/V\	for today	No Progress	Drogrossing	Goal Mot
(optional)		Description		(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met
(optional)		Description		(X)	(X)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	<b>5.1</b> Electrical ou	·		(X)	(X)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	<b>5.1</b> Electrical ou	·		(X)	(X)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	<b>5.1</b> Electrical ou <b>5.2</b> Free of elect	itlets accessible		(x)	(x)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	<b>5.2</b> Free of elect	itlets accessible	vith a	(x)	(x)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	5.2 Free of elect 5.3 Windows m minimum of 1 ui	tlets accessible		(x)	(x)	(x)	for today	No Progress	Progressing	Goal Met
(optional)	<b>5.2</b> Free of elect	itlets accessible trical hazards ust be accessible w		(x)	(x)	(X)	for today	No Progress	Progressing	Goal Met
(optional)	5.2 Free of elect 5.3 Windows m minimum of 1 u emergency exit	itlets accessible trical hazards ust be accessible w	ow for	(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met
	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floor	itlets accessible trical hazards ust be accessible windo pring must be free	ow for				,			Goal Met
Clutter Ima	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo	trical hazards ust be accessible windo nobstructed windo pring must be free 10. 4 for reference)	ow for of debris - <i>Providing a C</i>				,		oad.	Goal Met
Clutter Ima (cir	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo age Rating (See proceed)	itlets accessible trical hazards ust be accessible windo pring must be free	ow for	lutter Imag	e Rating ea	ch visit will help	o reflect progre	ss on content l		
Clutter Ima (cir	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo	trical hazards ust be accessible windo nobstructed windo pring must be free 10. 4 for reference)	ow for of debris - <i>Providing a C</i>	lutter Imag	e Rating ea	ch visit will help	o reflect progre	ss on content l	oad.	
Clutter Ima (cir 6. Buildii	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo age Rating (See proceed) ng Exterior	trical hazards ust be accessible who between the accessible who between the accessible who between the accessible who between the accessible will be free to access the accessible will be free to access the accessible will be accessible with accessible to access the accessible will be accessible to access the accessible will be accessible to access the access th	ow for of debris - <i>Providing a C</i>	lutter Imag	e Rating ea	ch visit will help	o reflect progre	ss on content k	oad.	
Clutter Ima (cir 6. Buildii	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo age Rating (See proceed)	trical hazards ust be accessible who between the accessible who between the accessible who between the accessible who between the accessible will be free to access the accessible will be free to access the accessible will be accessible with accessible to access the accessible will be accessible to access the accessible will be accessible to access the access th	ow for of debris - <i>Providing a C</i>	lutter Imag 3	e Rating ea	ch visit will help	p reflect progre	ss on content k	oad.	
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 ui emergency exit 5.4 Exposed floo age Rating (See proceed) ng Exterior	trical hazards ust be accessible who between the accessible who accessib	ow for of debris - <i>Providing a C</i>	lutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildii 7. Heatin	5.2 Free of elect 5.3 Windows m minimum of 1 ur emergency exit 5.4 Exposed floo age Rating (See parcle one) ng Exterior ag and Plumbin	trical hazards ust be accessible who between the accessible who between the accessible who between the accessible who between the accessible will be free to access the accessible will be free to access the accessible will be accessible with accessible to access the accessible will be accessible to access the accessible will be accessible to access the access th	of debris - Providing a C 2	lutter Imag 3	e Rating ea	ch visit will help	p reflect progre	ss on content k	oad. 8	
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floo age Rating (See profe one) ng Exterior ag and Plumbin 7.1 Stoves, oven	trical hazards ust be accessible who between the accessible who accessib	of debris - Providing a C 2	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, be accessible. (a	trical hazards ust be accessible who between the accessible who acces	of debris - Providing a C 2 ashing rmostats must	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, be accessible. (a	trical hazards ust be accessible who between the accessible who accessib	of debris - Providing a C 2 ashing rmostats must	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, see accessible. (a 7.2 Baseboard F	trical hazards ust be accessible who between the accessible who acces	of debris - Providing a C 2 - Sashing - mostats must	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, abe accessible. (a 7.2 Baseboard F 8"/21cm of clean	trical hazards ust be accessible who between the accessible who accessib	of debris - Providing a C 2 ashing rmostats must have min. flow of heat	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, abe accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame	trical hazards ust be accessible who between the accessible who accessible who between the accessible who accessible	of debris  - Providing a C  2  ashing rmostats must have min. flow of heat blaces,	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ng and Plumbin 7.1 Stoves, oven machine/dryer, abe accessible. (a 7.2 Baseboard F 8"/21cm of clear furnaces, oil tank	trical hazards ust be accessible who between the accessible who ac	of debris - Providing a C 2 ashing rmostats must have min. flow of heat blaces, cctrical panels,	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 ur emergency exit 5.4 Exposed floor age Rating (See prele one) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, be accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame furnaces, oil tant etc must be ur surrounding clear	trical hazards ust be accessible who between the accessible who	of debris  - Providing a C  2  ashing rmostats must have min. flow of heat blaces, actrical panels, cont and	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 ur emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, abe accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame furnaces, oil tant etc must be ur surrounding clear 7.4 All plumbing	trical hazards ust be accessible who betructed windo oring must be free o. 4 for reference)  1  Description us, refrigerators, wa a/c units, heat the ull that apply) neat sources must be ree heat sources, firepose, water units, elenobstructed with free hoodstructed with free hoodstructed with free heat sources of the properties of the	of debris  - Providing a C  2  ashing rmostats must have min. flow of heat blaces, actrical panels, cont and	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 ur emergency exit 5.4 Exposed floor age Rating (See prele one) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, and be accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame furnaces, oil tanl etc must be ur surrounding clear 7.4 All plumbing accessible	trical hazards ust be accessible who between the accessible who ac	ashing rmostats must have min. flow of heat places, actrical panels, ront and must be	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, and be accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame furnaces, oil tanl etc must be un surrounding clear 7.4 All plumbing accessible 7.5 Air vents (fo	trical hazards ust be accessible who between the accessible who	ashing rmostats must have min. flow of heat places, extrical panels, ront and nust be ust be	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9
Clutter Ima (cir 6. Buildin 7. Heatin Code	5.2 Free of elect 5.3 Windows m minimum of 1 un emergency exit 5.4 Exposed floor age Rating (See proceed) ng Exterior ag and Plumbin 7.1 Stoves, oven machine/dryer, and be accessible. (a 7.2 Baseboard F 8"/21cm of clear 7.3 Open flame furnaces, oil tanl etc must be un surrounding clear 7.4 All plumbing accessible 7.5 Air vents (fo	trical hazards ust be accessible who between the accessible who ac	ashing rmostats must have min. flow of heat places, extrical panels, ront and nust be ust be	Jutter Imag 3 Pass	e Rating ea 4	ch visit will help 5 Unknown or N/A	o reflect progre	ess on content la 7	oad. 8	9

Copyright 2014 This document developed by Marnie Matthews, MSW, LCSW for the Center for Hoarding and Cluttering.

Contact information: Marnie Matthews, MSW, LCSW email: marnie@CenterForHoardingAndCluttering.com phone no: 615.617.5484

Collaboration of North Shore Center for Hoarding and Cluttering, North Shore Peer Advisory Committee, North Shore Hoarding Task Force.

		STE	P 1 - A			STEP 2	- TRACK	
8. Genera	ıl Health & Safety	Pass	Fail	Unknown or N/A		Progress	Tracking	
Code	,	6.0	(1.1)	6.0	Not a goal			
(optional)	Description 8.1 All interior & exterior stairways & fire	(X)	(X)	(X)	for today	No Progress	Progressing	Goal Met
	escapes must be unobstructed							
	<b>8.2</b> Living room, bedrooms, and all other room	ns						
	with windows must have a minimum of 1 unobstructed window for emergency exit							
	8.3 No evidence of infestation							
	<b>8.4</b> Garbage & debris must be removed from residence on routine basis							
	8.5 Other interior hazards:			_		1		
	a. no trip or fall hazards							
	b. no items stored over shoulder height							
	of resident							
	c. no avalanche risk							
	<b>8.6</b> Air quality: no excessive issue with mold							
	&/or mildew		ļ					
	<b>8.7</b> No decaying food or garbage (to attract vermin)							
	<b>8.8</b> No extension cords under carpets or across	5						
	floors or rooms of residence							
	<b>8.9</b> No long-term storage of newspapers, magazines, papers, or flammable liquids to							
	cause fires							
	<b>8.10</b> No exposed or frayed electrical wiring							
	<b>8.11</b> No inoperable or unregistered vehicles in	1						
	yard  9.13 Emorgonov pull cord must be unobstructed	nd .						
	<b>8.12</b> Emergency pull cord must be unobstructed with end of cord no more than 18" from floor							
	(if applicable)							
	<b>8.13</b> No excessive pet odor, pet hair, pet waste							
			NOTE	S				
Harm Re	eduction Targets:							
Egresses - n	neans of exit - egress doors must							
open full 90	degrees or from door frame to							
door stop, v	whichever is wider							
Pathways -	Minimum of 36"/91cm wide							
inobstructe	ed and continuous pathways							
hroughout	residence							
	ectors, CO detectors, sprinkler							
	that apply) must be ed with front & surrounding							
	f 18"/91cm							
nternal Do	ors - closet, cabinet, pantry, etc.							
	nust be able to open & close							
· -	& freely, & be able to latch if							
pplicable.								
<u>senerai</u>	Safety & Inspection Targets:							
	Conveight 2014. This document develo							

## **Clutter Image Rating Scale**

Permission for use of Clutter Image Rating Scale granted by Oxford University Press.

198 Madison Avenue New York, New York 10016 212-743-8280 phone / 212-726-6494 fax www.oup.com/us

